



## AZ 14-1 KD KONTAKT

- Actuation cover-side
- Thermoplastic enclosure
- Contact pin in actuator bridge
- 2 actuating planes
- Protection class IP20
- Self-cleaning through the frictional movement of the contact bridges

## Data

### Ordering data

Product type description	AZ 14-1 KD KONTAKT
Article number (order number)	101157699
EAN (European Article Number)	4030661180939
eCl@ss number, version 12.0	27-27-06-10
eCl@ss number, version 11.0	27-27-06-10
eCl@ss number, version 9.0	27-27-06-10
ETIM number, version 7.0	EC002592
ETIM number, version 6.0	EC002592

### Approvals - Standards

Certificates	TÜV CCC EAC
--------------	-------------------

### General data

Standards	EN 81-20 EN 81-50
-----------	----------------------

Enclosure material	Plastic, glass-fibre reinforced thermoplastic, self-extinguishing
Material of the contacts, electrical	Silver-plated Cu rivets
Material of the housing cover	thermoplastic, self-extinguishing
Gross weight	40 g

### General data - Features

Suitable for elevators	Yes
Number of safety contacts	1

### Mechanical data

Actuating panels	cover-side
Mechanical life, minimum	1,000,000 Operations
Actuating stroke	7 mm
Actuating force, approx.	2.2 N
Mounting	Round holes

### Mechanical data - Connection technique

Termination	Screw terminals M20 x 1.5
Cable entry	Wiring compartment
Notes	M4, with self-opening clamping plates

### Mechanical data - Dimensions

Width	44 mm
Height	61 mm
Depth	19 mm

### Ambient conditions

Degree of protection	IP20
Ambient temperature, minimum	-30 °C
Ambient temperature, maximum	+70 °C



K.A. Schmersal GmbH & Co. KG, Möddinghofe 30, 42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 05/01/2023, 17:59